



Square Friction Top

	in	mm
Pitch	1.07	27.2
Minimum Width	3.0	76
Width Increments	0.33	8.4
Hinge Style	Open	
Drive Method	Center-driven	




Product Notes

- **Contact Intralox for precise belt measurements and stock status before designing equipment or ordering a belt.**
- Two material rubber modules provide a high friction surface without interfering with carryways and sprockets.
- Uses headed rods.
- Available in grey PP with black rubber and white PP with white rubber.
- Not recommended for back-up conditions. If friction values between product and belt are required, contact Intralox Sales Engineering.
- If a center-drive setup is used, it may be necessary to place collars to laterally retain the belt at the backbend roller before the drive. Abrasion resistant rods are recommended.
- Temperature, environmental conditions, and product characteristics affect the effective maximum degree of incline. Take these items into consideration when designing conveyor systems utilizing these belts.
- Minimum nominal alternating edge indents of 1 in (25 mm) and 1.7 in and (43 mm).



Additional Information

- See "Belt Selection Process" (page 7)
- See "Standard Belt Materials" (page 22)
- See "Special Application Belt Materials" (page 22)
- See "Friction factors" (page 26)



Belt Data

Base Belt Material	Base/Friction Color	Standard Rod Material Ø 0.18 in (4.6 mm)	BS Belt Strength		Temperature Range (continuous)		W Belt Weight		Friction Top Hardness	Agency Acceptability	
			lb/ft	kg/m	°F	°C	lb/ft²	kg/m²		FDA (USA)	EU MC ^b
Polypropylene	Grey/Black	Polypropylene	1000	1490	34 to 150	1 to 66	1.50	7.32	45 Shore A	•	c
Polypropylene	White/White	Polypropylene	1000	1490	34 to 150	1 to 66	1.50	7.32	56 Shore A	a	c

• - Fully compliant

a - FDA Compliant with Restriction: Do not use in direct contact with fatty foods.

b - European Migration Certificate providing approval for food contact according to EU Regulation 10/2011.

c - EU compliant with Restriction: Do not use in direct contact with fatty foods.