



<b>Split Metal Sprocket<sup>a</sup></b>										
No. of Teeth (Chordal Action)	Nom. Pitch Dia. in	Nom. Pitch Dia. mm	Nom. Outer Dia. in	Nom. Outer Dia. mm	Nom. Hub Width in	Nom. Hub Width mm	Available Bore Sizes			
							U.S. Sizes		Metric Sizes	
							Round in <sup>b</sup>	Square in	Round mm <sup>b</sup>	Square mm
<b>18</b> (1.54%)	3.5	<b>89</b>	3.5	<b>89</b>	1.7	<b>43</b>		1.5		<b>40</b>
<b>24</b> (0.86%)	4.6	<b>117</b>	4.7	<b>119</b>	1.7	<b>43</b>	1 1-3/16 1-1/4	1.5	<b>30</b>	<b>40</b>
<b>26</b> (0.73%)	5.1	<b>130</b>	5.1	<b>130</b>	1.7	<b>43</b>	1 1-3/16 1-1/4	1.5 2.5		<b>40</b> <b>60</b>
<b>32</b> (0.48%)	6.1	<b>155</b>	6.2	<b>157</b>	1.7	<b>43</b>	1 1-3/16 1-1/4 1-1/2	1.5 2.5		<b>40</b> <b>60</b>




- a. **Contact Customer Service for lead times.**
- b. Imperial key sizes on round bore sprockets conform to ANSI standard B17.1-1967 (R1989) and metric key sizes conform to DIN standard 6885

<b>EZ Track™ Molded Sprocket<sup>a</sup></b>										
No. of Teeth (Chordal Action)	Nom. Pitch Dia. in	Nom. Pitch Dia. mm	Nom. Outer Dia. in	Nom. Outer Dia. mm	Nom. Hub Width in	Nom. Hub Width mm	Available Bore Sizes			
							U.S. Sizes		Metric Sizes	
							Round in	Square in	Round mm	Square mm
<b>16</b> (1.92%)	3.1	<b>79</b>	3.1	<b>79</b>	1.0	<b>25</b>		1.5		<b>40</b>
<b>18</b> (1.52%)	3.5	<b>89</b>	3.5	<b>89</b>	1.0	<b>25</b>		1.5		<b>40</b>
<b>24</b> (0.86%)	4.6	<b>117</b>	4.7	<b>119</b>	1.0	<b>25</b>		1.5 2.5		<b>40</b> <b>60</b>
<b>32</b> (0.48%)	6.1	<b>155</b>	6.2	<b>157</b>	1.0	<b>25</b>		1.5 2.5		<b>40</b> <b>60</b>



- a. **Contact Customer Service for lead times.**

<b>EZ Track™ Glass Filled Nylon Split Sprocket<sup>a</sup></b>										
No. of Teeth (Chordal Action)	Nom. Pitch Dia. in	Nom. Pitch Dia. mm	Nom. Outer Dia. in	Nom. Outer Dia. mm	Nom. Hub Width in	Nom. Hub Width mm	Available Bore Sizes			
							U.S. Sizes		Metric Sizes	
							Round in	Square in	Round mm	Square mm
<b>24</b> (0.86%)	4.6	<b>117</b>	4.7	<b>119</b>	1.5	<b>38</b>		1.5		<b>40</b>
<b>32</b> (0.48%)	6.1	<b>155</b>	6.2	<b>157</b>	1.5	<b>38</b>		1.5 2.5		<b>40</b> <b>60</b>



- a. **Contact Customer Service for lead times.**