


Molded Tooth Plate Split Glass Filled Nylon Sprocket^a

No. of Teeth (Chordal Action)	Nom. Pitch Dia. in	Nom. Pitch Dia. mm	Nom. Outer Dia. in	Nom. Outer Dia. mm	Nom. Hub Width in	Nom. Hub Width mm	Available Bore Sizes			
							U.S. Sizes		Metric Sizes	
							Round in ^b	Square in	Round mm ^b	Square mm
15 (2.19%)	5.1	130	5.3	135	1.5	38	1	1.5	30	40
							1-3/16		40	
17 (1.70%)	5.8	147	6.1	155	1.5	38			30	40
									40	
18 (1.52%)	6.1	155	6.3	160	1.5	38	1-1/4	1.5		40
							1-1/2	2.5		60
20 (1.23%)	6.8	173	7.0	178	1.5	38	1-1/4	1.5		40
								2.5		60




- a. **Contact Customer Service for lead times.**
- b. Round bore molded and split sprockets are frequently furnished with two keyways. Use of two keys is NOT REQUIRED nor recommended. Round bore sprockets do not have set screws for locking the sprockets in place. As with square bore sprockets, only the center-most sprocket needs to be locked down. Imperial key sizes on round bore sprockets conform to ANSI standard B17.1-1967 (R1989) and metric key sizes conform to DIN standard 6885.

Flat Top Base Flights (Streamline)

Available Flight Height		Available Materials
in	mm	
1	25	Polypropylene, Polyethylene, Acetal
2	51	
3	76	

Note: Flights can be cut down to any height required for a particular application.
Note: Each flight rises out of the center of its supporting module, molded as an integral part. No fasteners are required.
Note: Flat Top flight is smooth (Streamline) on both sides.
Note: The minimum indent (without sideguards) is 0.7 in (17.8 mm).



Flush Grid Nub Top Base Flight (Double No-Cling)

Available Flight Height		Available Materials
in	mm	
4	102	Polypropylene, Acetal

Note: Flights can be cut down to any height required for a particular application.
Note: Each flight rises out of the center of its supporting module, molded as an integral part. No fasteners are required.
Note: No-Cling vertical ribs are on both sides of the flight.
Note: The minimum indent (without sideguards) is 0.7 in (17.8 mm).

